EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3859	(channel$1 same (sub-channel$1 or subchannel$1)) and @AD<"20010206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:24
L2	34	L1 and (map$4 with (channel$1 or sub-channel$1 or subchannel$1) with rate$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:24
L3	3859	(channel$1 same (sub-channel$1 or subchannel$1)) and @AD<"20010206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:24
L4	72	L3 and ((map$4 or mach$5) with (channel$1 or sub-channel$1 or subchannel$1) with (rate$1 or bandwidth))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:24
L5	4183	channel$1 and (sub-channel$1 or subchannel$1) and @AD<"20010206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:24
L6	75	L5 and ((map$4 or mach$5) with (channel$1 or sub-channel$1 or subchannel$1) with (rate$1 or bandwidth))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:24
L7	4183	channel$1 and (sub-channel$1 or subchannel$1) and @AD<"20010206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:25
L8	34	L7 and ((calculat$4) with (sub-channel$1 or subchannel$1) with (rate$1 or bandwidth))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:25
L9	3859	(channel$1 same (sub-channel$1 or subchannel$1)) and @AD<"20010206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:25
L10	72	L9 and ((map$4 or mach$5) with (channel$1 or sub-channel$1 or subchannel$1) with (rate$1 or bandwidth))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:29
L11	2442	(size near4 indicat$4 near4 (segment$7 or partition$4 or block$1 or (mini adj (cell$1 or packet$2 or frame$1)) or subcell$1 or subpacket$2 or subframe$1 or sub-cell$1 or sub-packet$2 or sub-frame$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:59
L12	1327	L11 and @AD<"20010206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:26
L13	15	L12 and (370/470-474.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:26
L14	4922	((size or length) near4 indicat$4 near4 (segment$7 or partition$4 or block$1 or (mini adj (cell$1 or packet$2 or frame$1)) or subcell$1 or subpacket$2 or subframe$1 or sub-cell$1 or sub-packet$2 or sub-frame$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:26

EAST Search History

L15	2481	L14 not L11	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:26
L16	1428	L15 and @AD<"20010206"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:26
L17	39	L16 and (370/470-474.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:26
L19	42	L16 and (370/470-474,535-544.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:27
L20	110	L14 and (370/470-474,535-544.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 16:58
L21	1	((segment$7 or partition$4 or block$1 or (mini adj (cell$1 or packet$2 or frame$1)) or subcell$1 or subpacket$2 or subframe$1 or sub-cell$1 or sub-packet$2 or sub-frame$1) and ((subchannel$1 or sub-channel$1) adj (rate$1 or bandwidth)) and (map$4 or match$4) and (assign$4 or allocat$4) and ratio and ((pair or two) adj3 (subchannel$1 or sub-channel$1))).clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/11/20 17:06

EAST Search History (Interference Search)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L22	1	((segment$7 or partition$4 or block$1 or (mini adj (cell$1 or packet$2 or frame$1)) or subcell$1 or subpacket$2 or subframe$1 or sub-cell$1 or sub-packet$2 or sub-frame$1) and ((subchannel$1 or sub-channel$1) adj (rate$1 or bandwidth)) and (map$4 or match$4) and (assign$4 or allocat$4) and ratio and ((pair or two) adj3 (subchannel$1 or sub-channel$1))).clm.	US-PGPUB	OR	OFF	2006/11/20 17:07
L23	3	((segment$7 or partition$4 or block$1 or (mini adj (cell$1 or packet$2 or frame$1)) or subcell$1 or subpacket$2 or subframe$1 or sub-cell$1 or sub-packet$2 or sub-frame$1) and (subchannel$1 or sub-channel$1) and (rate$1 or bandwidth) and (map$4 or match$4) and (assign$4 or allocat$4) and ratio and (pair or two)).clm.	US-PGPUB	OR	OFF	2006/11/20 17:07